Smart Street Lights for Smarter Cities

OpenSky NEMA IoT

v04.06.2023

Why invest in Smart Streetlights?

60% - 80% Energy Savings

Dimming streetlights with pre-defined schedule and smart sensors significantly cuts energy waste.

Predictive Maintenance

Proactive alerts / notifications for faults, alarms or outages optimise maintenance and substantially reduce operational costs.

Total Infrastructure Control

Connected streetlights enable remote monitoring, management and control of complete citywide infrastructure.

TVILIGHT

Why invest in Smart Streetlights?

Foundation for Smart City

Standardised interface and Open APIs support inter-connectivity with applications such as traffic lights, security systems, etc.

50% Lower Light Pollution

Dimming streetlights during off-peak hours or through motion sensors significantly cuts light pollution.

Improved Public Safety

Right light and right place and right time enhances citizens' sense of safety.

TVILIGHT

Why invest in Smart Streetlights?

Address Climate Change

Fine-tuning lighting levels on need-basis dramatically reduces carbon emissions.

Protect Flora and Fauna

Autonomous dimming during off-peak hours lower lighting pollution and benefits local flora and fauna.

Benefits from Day One

Unlike other smart city solutions, deploying smart lighting deliver benefits from day one!

TVILIGHT

Specialist in Smart Outdoor Lighting

We enable cities to take full control of their Lighting Infrastructure based on Open Standards

TVILIGHT

Global presence: 100k+ connected streetlights, 650+ projects

**Monitored by CityManager and supported by our Service Desk**

Selected Projects

- Dortmund (DE) 25.000 smart streetlights

- Düren (DE) 5.000 smart streetlights

- Dutch Railways (NL) 10.250 smart streetlights

- Island of Texel (NL) 3.420 smart streetlights

- Helmond (NL) 8.500 smart streetlights

- Seoul (KR) 2.500 smart streetlights

- Busan (KR) 1.500 smart streetlights

- Bangladesh 4.300 smart streetlights

TVILIGHT

Smart Lighting
solution portfolio

- **Light Management Platform**
  - CityManager

- **DigiHub**
  - Data & Analytics
  - Security & Backups
  - Open API TALQ 2.0

- **Services**
  - Training
  - Network Engineering Project Support
  - Service Desk
  - Project Based Software Development

- **Lighting Controls**
  - **RF Mesh**
    - CitySense Plus Motion Sensor
    - CitySense Lite Motion Sensor
    - SkyLite Prime RF
    - SkyLite RF
  - **IoT**
    - OpenSky NEMA
    - OpenSky Zhaga
  - **Photocell**
    - SkySwitch NEMA
    - SkySwitch Zhaga
  - **Group**
    - Control Cabinet

TVILIGHT

Smart Lighting with secure IoT network

DigiHub
Database and Analytics

Internet

2G, LTE, CAT M1/ NB-IoT

CityManager
CMS dashboard

Wireless Smart Lighting

- Open Standard Cellular Network
- Edge (EGPRS), LTE CAT M1 and NB-IoT (NB2) connectivity
- No local gateway needed
- Highest security standard regulated by 3GPP

TVILIGHT

NEMA IoT Street Light Controller

Remotely **monitor, manage** and **control** citywide streetlights

Plug & play installation through popular NEMA 7-pin receptacle and auto-commissioning system

Connects directly to **local secure cellular network**

CE CB IK09 IP66

DALI LTE-M NB-IoT

RoHS

TVILIGHT

Global Standard, Local Network

Lamp connects directly to local cellular tower

- Highest available security (3GPP)

- Fully managed network by local telco

- Excellent network uptime

- Automatically selects the best signal and the best operator: EGPRS (Edge/ 2G), LTE Cat M1, NB-IoT (NB2)

- Long range, deep coverage

TVILIGHT

Gateway free installation

Devices communicate directly with LMS

- Full control over individual streetlights
- Eliminates costs related to Gateways
- Quick near real-time dimming / switching response

TVILIGHT

Auto commissioning, **easy deployment**

GPS   GLONASS   GALILEO   QZSS

In-built GPS auto-commissioning device

- Plug-and-play installation
- Device geo-locates automatically upon power, and auto-registers to your LMS
- Eliminates all network engineering efforts

TVILIGHT

Point level control at your fingertips

Manage each light individually

- Switch or dim each luminaire using custom light scenes

- Set different light levels for main roads, traffic junctions and zebra crossing.

- Maintain flexibility to adapt light profile to future city needs.

- Receive meaningful alerts and insightful data of every street light

TVILIGHT

Finer control over Dimming & Switching

Regulate light levels as situation demands

- Photocell
- Twilight (Photocell / Ambient Light Sensor)
- AstroClock (Astronomical Clock)
- Time-based Light Scene
- Calendar-based Schedules
- Central ALS (Photocells in City)
- Adaptive (Motion Sensor)
- Autonomous Mode

TVILIGHT

Advance health monitoring data

KV Grid Voltage

C° Driver Temperature

V Mains Current

W/S Power Active/ Apparent

№ Driver Stats Counter

WH Energy Consumed Active/Reactive

h/min Lamp/ Driver Operating Time

PF Power Factor

Achieve Predictive Maintenance

- Pairing Smart D4I Driver delivers advance luminaire, driver and power-grid data

- Data set includes driver temperature, input voltage/ power/ current/ power factor, etc.

- Notifications, alerts and error logs

TVILIGHT

Smart City Ready

Smart City Systems

Open APIs

Open APIs

Open Standards

Built on Open Standards & APIs

- Works with a range of IoT and Smart City systems

- Selected examples:
  - Cisco Kinetics
  - Siemens Atos
 - SixData luxData.light
  - Osram LumIdent

TVILIGHT

Flexible Dimming Control

0-10V
DALI
DALI 2.0
D4i
SR

Supports multiple dimming protocols

- 0-10V analog
- DALI
- DALI 2.0
- D4i
- SR

TVILIGHT

Well-known interface, standard compatibility

Twist to Lock

Open NEMA OLC

NEMA 7-Pin (ANSI C136.41) Socket

LED driver   LEDs

LED Luminaire

Complies with ANSI C136.41 standard

- Plug and play installation

- No special tool or training needed

- Works with any NEMA compatible LED luminaire/ lighting fixture

TVILIGHT

Features to improve day-to-day operations…

Integrated Light Sensor

Integrated photocell (twilight sensor) enables streetlight switching based on the naturally available ambient light

Interoperable

Supports multiple dimming protocols (0-10V, DALI, DALI 2, SR, D4I and ANSI C137.4)

Timely Notifications

Receive all updates about your street lighting infrastructure via email and CityManager platform

TVILIGHT

Features to improve day-to-day operations…

Pole Knock-Down Alert

In-built tilt sensor sends an automatic alert if the street pole suffers damage due to car crash

Over-the-Air Updates

Thanks to the faster communication with the device, software updates take place in matter of minutes

IP66 + UV Stabilised

IP66 and UV stabilised housing protects the device in the harsh environment and ensures prolonged life

TVILIGHT

Urban Streets

Industrial Zones

Residential Areas

Train Station / Railway Lines

Ports / Sea Terminals

University Campus

Bicycle Roads

Outdoor Parking

Public Parks

Like it.

Why not give it a try?

Want to learn more?

Need datasheet?

Contact us at: sales@tvilight.com

We look forward to working with you!

TVILIGHT Projects B.V.

Beechavenue 162-180

1119 PS Schiphol-Rijk

Amsterdam, the Netherlands

www.tvilight.com

TVILIGHT